

Fabas Luce S.p.a.
Via Luigi Talamoni 75,
20861 BRUGHERIO MB - ITALY
Tel. +39 039 890691
Fax. +39 039 2142208
info@fabasluce.it - www.fabasluce.it

Grant 96W

Indoor projector with high efficiency, particularly suitable for illuminating functional areas and architectural lighting. It has a wide range of optics and is available in two color temperatures, 3000K and 4000K, to meet all design requirements. Metal frame. 48V DC appliance with the option of remote power.

Code	6835-22-624
Туре	Indoor Projector
Designer	S.T. Fabas Luce
Eancode	8019282083672
Customs tariff	94054239
Color	White
Material	Metal frame
IP	IP40
IK	08
Insulation Class	
Operating ambient temperature	-20°C +50°C
Years of warranty	5
Made In	Italy
Item Dimensions	256x95x128mm - 3.5kg
Packaging Dimensions	400x180x230mm - 4.1kg
	Light Source 1
Light source	LED Built-in
Light source LED Characteristics	
	LED Built-in
LED Characteristics	LED Built-in Power LED
LED Characteristics Light Source Lumen	LED Built-in Power LED 11400 lm
LED Characteristics Light Source Lumen Item Lumen	LED Built-in Power LED 11400 lm 6036 lm
LED Characteristics Light Source Lumen Item Lumen Color Temperature	LED Built-in Power LED 11400 lm 6036 lm Warm white 3000K
LED Characteristics Light Source Lumen Item Lumen Color Temperature Optics	LED Built-in Power LED 11400 Im 6036 Im Warm white 3000K 65°
LED Characteristics Light Source Lumen Item Lumen Color Temperature Optics Typical CRI	LED Built-in Power LED 11400 lm 6036 lm Warm white 3000K 65° 80
LED Characteristics Light Source Lumen Item Lumen Color Temperature Optics Typical CRI Luminous Flux Maintenance	LED Built-in Power LED 11400 lm 6036 lm Warm white 3000K 65° 80 >60.000 L70 B50
LED Characteristics Light Source Lumen Item Lumen Color Temperature Optics Typical CRI Luminous Flux Maintenance	LED Built-in Power LED 11400 lm 6036 lm Warm white 3000K 65° 80 >60.000 L70 B50
LED Characteristics Light Source Lumen Item Lumen Color Temperature Optics Typical CRI Luminous Flux Maintenance Energy Efficiency Class	LED Built-in Power LED 11400 lm 6036 lm Warm white 3000K 65° 80 >60.000 L70 B50 A F Electrical specifications 1
LED Characteristics Light Source Lumen Item Lumen Color Temperature Optics Typical CRI Luminous Flux Maintenance Energy Efficiency Class Input Voltage	LED Built-in Power LED 11400 lm 6036 lm Warm white 3000K 65° 80 >60.000 L70 B50 F Electrical specifications 1 48V DC









